

PETERS


Sporting

AMMUNITION



PETERS
DU PONT


PETERS PACKS THE POWER!



FOR RIFLES • PISTOLS • REVOLVERS • SHOTGUNS

PETERS RIM FIRE CARTRIDGES

THE POWERFUL PETERS "HIGH VELOCITY" 22 —
CHECK THESE SPECIAL CONSTRUCTION FEATURES!



PETERS PACKS THE POWER!

PETERS

22 CALIBER CARTRIDGES for



"HIGH VELOCITY"

Combining all the features wanted by the small bore shooter, "High Velocity" 22's are the answer to the shooter's prayer. They deliver the flat trajectory and smashing knockdown power at long range needed to put small game and pests down for keeps. Peters "High Velocity" 22's are loaded for maximum power, yet the special bullet lubrication and "Rustless" non-corrosive priming protect the barrel rifling at all times. Available with solid or hollow point bullets.



"TARGET" AND MATCH 22's

Peters "Target" 22's are standard velocity, popular priced cartridges featuring fine accuracy and Peters "Rustless" priming. Peters Match 22's are designed for perfect accuracy with a uniform center of impact over a long series of shots. You deserve the best—Peters Match 22's for competitive pistol or rifle shooting, and Peters "Target" 22's for small game and "plinking."




SMASHING IMPACT

Here's a "speedlight" photo of what happens to a tough shelled coconut when it's hit by a Peters "High Velocity" hollow point 22. Peters really packs the power!

ACE HIGH ACCURACY

With ammunition accurate enough to split a playing card, you'll find it easier to place your carefully aimed shots in the ten ring every time. Peters precision manufacturing methods combined with all new construction makes this possible with all Peters 22's!



**SHOOT PETERS 22's
FOR ACCURACY,
DEPENDABILITY, AND
REAL ENJOYMENT**

SHOOTING . . .


AMERICA'S GREAT OUTDOOR HERITAGE

Since pre-Revolutionary days Americans have been famous as expert hunters and marksmen, and became skilled in the use of firearms, not only because they helped provide protection and food, but because shooting is a truly great sport.

Shooting is not only a sport . . . it is self-reliance, endurance, stamina, skill, and character . . . it is a major contribution to the well being of America and her citizens.


By using sporting firearms skillfully and safely, you play an active part in preserving our country's tradition of superior marksmanship and skillful hunting.

The following booklets are available free to shooters. Just send a post-card to Advertising Department, Peters Cartridge Division, Bridgeport 2, Connecticut, for any of the following:





PETERS "CAVALCADE OF AMERICAN HUNTERS"
Daniel Boone, Abraham Lincoln, Buffalo Bill Cody . . . great names in American history, great names in the sport of hunting.

"SHOOTING ADVENTURES OF 'DOC' PETERS"
In comic book form for the young shooter. An interesting booklet of how shooting and hunting can make better citizens of today's youngsters.



Targets for practice and all kinds of shooting fun. These silhouette targets have been popular with shooters for teaching, learning, and just plain shooting fun.



BALLISTICS • PETERS RIM FIRE CARTRIDGES

"HIGH VELOCITY"

Index Number	Cartridge	Bullet		Velocity—Feet per Sec.		Energy—Foot Pounds		Mid-Range Trajectory Inches—100 Yds.
		Wt. Grs.	Style	Muzzle	100 Yards	Muzzle	100 Yards	
2267	22 Short, High Velocity	29	Lead	1125	920	81	54	4.3
2268	22 Short, High Velocity	27	Hollow Point	1155	920	80	51	4.2
2269	22 Long, High Velocity	29	Lead	1240	965	99	60	3.8
2283	22 Long Rifle, High Velocity	40	Lead	1335	1045	158	97	3.3
2284	22 Long Rifle, High Velocity	36	Hollow Point	1365	1040	149	86	3.3
2291	22 W.R.F. (Rem. Spec.), High Velocity	45	Lead	1450	1110	210	123	2.7

STANDARD VELOCITY

2214	22 Short, Target	29	Lead	1045	810	70	—	—
2204	22 Short Gallery, Krumble Ball (250 pack)	29	Lead	1045	—	70	—	—
2206	22 Short Gallery, Krumble Ball (50 pack)	29	Lead	1045	—	70	—	—
2205	22 Short Gallery, Krumble Ball New & Improved (250 pack)	15	Spec. Comp.	1710	—	97	—	—
2224	22 Long Rifle, Target	40	Lead	1145	975	116	84	4.0
2237	22 Winchester Automatic	45	Lead	1055	930	111	86	4.6
3203	32 Short	80	Lead	945	840	158	125	5.3
3206	32 Long	90	Lead	945	850	178	144	5.3

Index Number	Bullet Weight & Style	Av. Wt. Per Case
-----------------	--------------------------	---------------------

"HIGH VELOCITY"



22 SHORT
"HIGH VELOCITY"

Adapted to single shot, repeating and auto-loading rifles, revolvers and pistols.

2267 29 grs. Lead 59 lbs.
2268 27 grs. Lead, Hollow Point 58 lbs.

Packed 50 in a box. 10,000 in a case.



PETERS "THUNDERBOLT"
22 SHORT
"HIGH VELOCITY"

Adapted to single shot, repeating and auto-loading rifles, and pistols.

2265 15 grs. Special Comp. 48 lbs.

Packed 28 in a box. 11,200 in a case.



22 LONG
"HIGH VELOCITY"

Adapted to single shot, repeating, Remington Model 550 and other autoloading rifles, revolvers and pistols.

2269 29 grs. Lead 64 lbs.

Packed 50 in a box. 10,000 in a case.



22 LONG RIFLE
"HIGH VELOCITY"

Adapted to single shot, repeating and auto-loading rifles, revolvers and pistols.

2283 40 grs. Lead 82 lbs.
2284 36 grs. Hollow Point 77 lbs.

Packed 50 in a box. 10,000 in a case.



22 W.R.F.
(REMINGTON SPECIAL)
"HIGH VELOCITY"

Adapted to Remington 1205, 1215, and Winchester 1890 rifles; Remington, Winchester and Stevens single shot rifles; also Colt revolvers.

2291 45 grs. Lead 50 lbs.

Packed 50 in a box. 5,000 in a case.

Index Number	Bullet Weight & Style	Av. Wt. Per Case
-----------------	--------------------------	---------------------

STANDARD VELOCITY



22 SHORT "TARGET"

Adapted to single shot, repeating and auto-loading rifles, revolvers and pistols.

2214 29 grs. Lead 59 lbs.

Packed 50 in a box. 10,000 in a case.



22 SHORT GALLERY
"KRUMBLE BALL"

"Krumble Ball" cartridges are specially designed for shooting gallery use. Adapted to single shot, repeating, and autoloading rifles, revolvers, and pistols.

2204 29 grs. Lead 58 lbs.

2205 15 grs. Special Comp. 40 lbs.

2206 29 grs. Lead 60 lbs.

Nos. 2204 & 2205—250 in box, 10,000 in case.

No. 2206—50 in box, 10,000 in case.




22 LONG RIFLE
"TARGET"

Adapted to single shot, repeating and auto-loading rifles; revolvers, and pistols.

2224 40 grs. Lead 81 lbs.

Packed 50 in a box. 10,000 in a case.



22 WINCHESTER
AUTOMATIC

Adapted to Winchester Model 03 automatic rifle.

2237 45 grs. Lead 49 lbs.

Packed 50 in a box. 5,000 in a case.

Index Number	Bullet Weight & Style	Av. Wt. Per Case
-----------------	--------------------------	---------------------



32 SHORT

Adapted to Remington and Winchester single shot rifles; Marlin 1892 repeating rifle; also revolvers and single shot pistols.

3203 80 grs. Lead 79 lbs.

Packed 50 in a box. 5,000 in a case.



32 LONG

Adapted to Remington and Winchester single shot rifles; Marlin 1892 repeating rifle.

3206 90 grs. Lead 86 lbs.

Packed 50 in a box. 5,000 in a case.

MATCH CARTRIDGES




22 LONG RIFLE
(RIFLE MATCH)

A superaccurate cartridge designed especially for match rifles.

2226 40 grs. Lead 80 lbs.

Packed 50 in a box. 10,000 in a case.




22 LONG RIFLE
(PISTOL MATCH)

The new superbly accurate cartridge designed especially for target pistol shooting.

2228 40 grs. Lead 80 lbs.

Packed 50 in a box. 10,000 in a case.

SHOT CARTRIDGES



22 SHOT CARTRIDGE

Adapted to smooth bore single shot rifles.

2299 #12 Shot, Lead 68 lbs.

Packed 50 in a box. 10,000 in a case.

3 BIG REASONS WHY PETERS 22's ARE PREFERRED BY SMALL BORE SHOOTERS!

PENETRATION

Seven 7/8-inch pine boards—penetrated by a Peters "High Velocity" 22 solid-point bullet! That's real power!

SHOCK

Laundry soap is *blasted* by Peters "High Velocity" hollow point bullet. Terrific knock-down power for hunting pests.

ACCURACY

Bull's-eye accuracy at longer ranges is yours with Peters 22's. Makes it easier to stalk and get pests and small game.

PETERS

CENTER FIRE RIFLE CARTRIDGES featuring "Inner-Belted" Bullets

"RUSTLESS"
NON-CORROSIVE
PRIMING provides
split-second
ignition.

PROGRESSIVE
BURNING
POWDER provides
proper velocity
and extreme
accuracy at safe
pressure limits.

TOP QUALITY
BRASS CASE with
micro close
tolerances.

PRIMER
sealed against
gun oil by Peters
"Oil-Tite" process.

"INNER BELTED"
BULLET with its
notched jacket
and thick mid-
section assures
uniform expansion.

Experienced hunters from Alaska to Africa count on the "smashing power" and rugged dependability of Peters "High Velocity" cartridges to bring down their game. The "Inner-Belted" construction of Peters rifle bullets provides terrific impact and deep penetration without disintegration. This improved bullet design in Soft Point, Hollow Point, and Pointed Soft Point bullet styles is available in 18 popular hunting calibers. Long range power, flat trajectory, pin-point accuracy, and all-weather dependability . . . four good reasons why shooters prefer powerful, Peters ammunition!

Peters center fire rifle cartridges with "Rustless" non-corrosive priming are also supplied in Metal Case, Protected Point Expanding, Lead and regular Soft Point bullet styles for selected calibers.

"INNER-BELTED" SOFT POINT

Special notching of gilding metal jacket provides uniform expansion upon impact. Expansion is about double the caliber at hunting ranges.



"INNER-BELTED" POINTED SOFT POINT

Has a sharp bullet profile, non-fouling metal jacket, lead core and directional nose cuts in jacket which permit fast, uniform expansion of bullet.



"INNER-BELTED" HOLLOW POINT

Deep penetration and controlled mushrooming is assured by special tip of bullet. There is a minimum of disintegration or loss in bullet weight.



Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------



22 HORNET

Adapted to Winchester 54, 70, 43; Savage 19H, 23D, 219, 340; Stevens 322.

2274	45 grs.	H.V.*, Metal Case Hollow Point	33 lbs.
2276	45 grs.	H.V.*, Soft Point	33 lbs.

Packed 50 in a box, 2,000 in a case.



222 REMINGTON

Adapted to Remington 722, 760, Marlin 322; Savage 340.

2244	50 grs.	H.V.*, Soft Point	29 lbs.
------	---------	-------------------	---------

Packed 20 in a box, 1,000 in a case.




222 REMINGTON MAGNUM

Adapted to Remington 722 Magnum.

2246	55 grs.	H.V.*, Soft Point	31 lbs.
------	---------	-------------------	---------

Packed 20 in a box, 1,000 in a case.



243 WINCHESTER

Adapted to Winchester 70; Savage 99, 110; Sako 57.

2431	80 grs.	H.V.*, Pointed Soft Point	52 lbs.
2432	100 grs.	H.V.*, Inner-Belted Pointed Soft Point	54 lbs.

Packed 20 in a box, 1,000 in a case.



244 REMINGTON

Adapted to Remington 722, 740, 760.

244	75 grs.	H.V.*, Pointed Soft Point	51 lbs.
2442	90 grs.	H.V.*, Pointed Soft Point	53 lbs.

Packed 20 in a box, 1,000 in a case.



250 SAVAGE

Adapted to Savage 1920, 40, 45, 99; Winchester 54, 70.

2572	87 grs.	H.V.*, Soft Point	50 lbs.
2568	100 grs.	H.V.*, Inner-Belted, Soft Point	50 lbs.
2570	100 grs.	H.V.*, Inner-Belted, Pointed Soft Point	49 lbs.

Packed 20 in a box, 1,000 in a case.



25-20 WINCHESTER

Adapted to Remington 25; Winchester 92, 53, 65, 43; Savage 23B, 219; Marlin 1894, 27.

2555	60 grs.	H.V.*, Hollow Point	44 lbs.
2552	86 grs.	Lead	50 lbs.
2553	86 grs.	Soft Point	50 lbs.

Packed 50 in a box, 2,000 in a case.



257 ROBERTS

Adapted to Remington 30, 720, 722, 760; Winchester 54, 70.

2584	117 grs.	H.V.*, Inner-Belted, Soft Point	56 lbs.
------	----------	---------------------------------	---------

Packed 20 in a box, 1,000 in a case.



25-35 WINCHESTER

Adapted to Winchester 94, 55, 64; Savage 99.

2582	117 grs.	H.V.*, Inner-Belted, Soft Point	48 lbs.
------	----------	---------------------------------	---------

Packed 20 in a box, 1,000 in a case.



270 WINCHESTER

Adapted to Remington 720, 721, 725, 760; Winchester 54, 70.

2701	100 grs.	H.V.*, Pointed Soft Point	60 lbs.
2704	130 grs.	H.V.*, Protected Point Expanding	64 lbs.
2705	130 grs.	H.V.*, Inner-Belted, Pointed Soft Point	64 lbs.
2702	150 grs.	H.V.*, Inner-Belted, Soft Point	67 lbs.

Packed 20 in a box, 1,000 in a case.

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------



7mm. MAUSER

Adapted to Remington 30; Winchester 54, 70; Mauser Military, Sporting Rifles; Sauer Mauser.

2801	175 grs.	Soft Point	65 lbs.
------	----------	------------	---------

Packed 20 in a box, 1,000 in a case.



280 REMINGTON

Adapted to Remington 725, 740, 760.

2813	100 grs.	H.V.* Protected Point Expanding	60 lbs.
2810	125 grs.	H.V.*, Inner-Belted, Pointed Soft Point	63 lbs.
2811	150 grs.	H.V.*, Inner-Belted, Pointed Soft Point	67 lbs.
2812	165 grs.	H.V.*, Inner-Belted, Soft Point	70 lbs.

Packed 20 in a box, 1,000 in a case.



30-30 WINCHESTER

Adapted to Winchester 54, 55, 64, 94; Marlin 1893, 36; Savage 1920, 40, 45, 99, 219, 325, 340.

3044	150 grs.	H.V.*, Inner-Belted, Soft Point	53 lbs.
3064	160 grs.	H.V.*, Metal Case	54 lbs.
3043	170 grs.	H.V.*, Inner-Belted, Hollow Point	55 lbs.
3058	170 grs.	H.V.*, Inner-Belted, Soft Point	55 lbs.

Packed 20 in a box, 1,000 in a case.




30 REMINGTON

Adapted to Remington 8, 81, 14, 141, 30.

3054	170 grs.	H.V.*, Inner-Belted, Soft Point	54 lbs.
------	----------	---------------------------------	---------

Packed 20 in a box, 1,000 in a case.



30-40 Krag

Adapted to Krag (Springfield 1898); Winchester 95; Remington and Winchester single shot, military and sporting rifles.

3046	180 grs.	H.V.*, Inner-Belted, Soft Point	65 lbs.
3051	180 grs.	H.V.*, Inner-Belted, Pointed Soft Point	65 lbs.
3047	220 grs.	H.V.*, Inner-Belted, Soft Point	71 lbs.

Packed 20 in a box, 1,000 in a case.




30-06 SPRINGFIELD

Adapted to Remington 30, 720, 721, 725, 740, 760; 1917 Service Rifle; Springfield for 1906 cartridges; Winchester 54, 70; Savage 40, 45; Garand.

3077	150 grs.	H.V.*, Protected Point Expanding	67 lbs.
3033	150 grs.	H.V.*, Inner-Belted, Pointed Soft Point	67 lbs.
3039	180 grs.	H.V.*, Inner-Belted, Pointed Soft Point	70 lbs.
3080	180 grs.	H.V.*, Protected Point Expanding	70 lbs.
3056	180 grs.	H.V.*, Inner-Belted, Soft Point	70 lbs.
3079	180 grs.	Metal Case Pointed Taper Heel	73 lbs.
3036	220 grs.	H.V.*, Inner-Belted, Hollow Point	76 lbs.
3038	220 grs.	Inner-Belted, Soft Point	76 lbs.

Packed 20 in a box, 1,000 in a case.



300 SAVAGE

Adapted to Remington 81, 722, 760; Savage 1920, 40, 45, 99.

3024	150 grs.	H.V.*, Inner-Belted, Pointed Soft Point	57 lbs.
3019	150 grs.	H.V.*, Inner-Belted, Soft Point	57 lbs.
3084	150 grs.	H.V.*, Protected Point Expanding	57 lbs.
3021	180 grs.	H.V.*, Inner-Belted, Soft Point	61 lbs.
3023	180 grs.	H.V.*, Inner-Belted, Pointed Soft Point	61 lbs.

Packed 20 in a box, 1,000 in a case.

*H.V.—"High Velocity"

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------

300 HOLLAND & HOLLAND MAGNUM




Adapted to Remington 721; Winchester 70.

3028	180 grs.	H.V.*, Inner-Belted, Pointed Soft Point	80 lbs.
3027	220 grs.	H.V.*, Inner-Belted, Hollow Point	86 lbs.

Packed 20 in a box. 1,000 in a case.

303 BRITISH



Adapted to Remington; Lee Enfield; Winchester 95.

3085	215 grs.	Soft Point	67 lbs.
------	----------	------------	---------

Packed 20 in a box. 1,000 in a case.

303 SAVAGE




Adapted to Savage 99.

3035	180 grs.	H.V.*, Inner-Belted, Soft Point	61 lbs.
------	----------	---------------------------------	---------

Packed 20 in a box. 1,000 in a case.

308 WINCHESTER




Adapted to Remington 722, 740, 760; Winchester 70, 88; Savage 99.

3086	110 grs.	H.V.*, Pointed Soft Point	55 lbs.
3087	150 grs.	H.V.*, Inner-Belted, Pointed Soft Point	60 lbs.
3088	180 grs.	H.V.*, Inner-Belted, Pointed Soft Point	65 lbs.

Packed 20 in a box. 1,000 in a case.

8mm. (7.9mm.) MAUSER



Adapted to Mauser 1898 military and sporting rifles—European designation 8x57 rimless. (WARNING: DO NOT USE IN RIFLES CHAMBERED FOR 30-06 SPRINGFIELD CARTRIDGES.)

3102	170 grs.	Inner-Belted, Soft Point	64 lbs.
------	----------	--------------------------	---------

Packed 20 in a box. 1,000 in a case.

32-20 WINCHESTER




Adapted to Remington 25; Winchester 92, 53, 64, 43; Savage 23C, 219; Marlin 27, 1894; Remington, Winchester single shot rifles.

3272	80 grs.	H.V.*, Metal Case Hollow Point	49 lbs.
3269	100 grs.	Lead	53 lbs.
3270	100 grs.	Soft Point	53 lbs.

Packed 50 in a box. 2,000 in a case.

32 WINCHESTER SPECIAL



Adapted to Winchester 55, 64, 94; Marlin 1893, 36.

3278	170 grs.	H.V.*, Inner-Belted, Hollow Point	56 lbs.
3279	170 grs.	H.V.*, Inner-Belted, Soft Point	56 lbs.

Packed 20 in a box. 1,000 in a case.

32 REMINGTON




Adapted to Remington 8, 81, 14, 141, 30.

3292	170 grs.	H.V.*, Inner-Belted, Soft Point	55 lbs.
------	----------	---------------------------------	---------

Packed 20 in a box. 1,000 in a case.

32-40 WINCHESTER




Adapted to Winchester 94; Marlin 93; Remington, Stevens, Winchester single shot rifles.

3288	165 grs.	Soft Point	52 lbs.
------	----------	------------	---------

Packed 20 in a box. 1,000 in a case.

348 WINCHESTER



Adapted to Winchester 71.

3481	150 grs.	H.V.*, Soft Point	69 lbs.
3484	200 grs.	H.V.*, Soft Point	75 lbs.

Packed 20 in a box. 1,000 in a case.

351 WINCHESTER SELF-LOADING



Adapted to Winchester 07 self-loading rifles.

3586	177 grs.	Metal Case	89 lbs.
3585	180 grs.	Soft Point	88 lbs.

Packed 50 in a box. 2,000 in a case.

35 REMINGTON




Adapted to Remington 8, 81, 14, 141, 30, 760; Winchester 70. (WARNING: DO NOT USE IN RIFLES CHAMBERED FOR 30-06 SPRINGFIELD CARTRIDGES.)

3592	150 grs.	H.V.*, Inner-Belted, Pointed Soft Point	56 lbs.
3594	200 grs.	H.V.*, Inner-Belted, Hollow Point	62 lbs.
3589	200 grs.	H.V.*, Inner-Belted, Soft Point	62 lbs.

Packed 20 in a box. 1,000 in a case.

38-40 WINCHESTER




Adapted to Remington 14½; Winchester 92; Remington, Winchester single shot rifles; Marlin 1894.

3856	180 grs.	Soft Point	83 lbs.
------	----------	------------	---------

Packed 50 in a box. 2,000 in a case.

38-55 WINCHESTER




Adapted to Winchester 94; Marlin 93; Savage, Remington-Lee repeating rifles; Remington, Winchester single shot rifles.

3872	255 grs.	Soft Point	66 lbs.
------	----------	------------	---------

Packed 20 in a box. 1,000 in a case.

44-40 WINCHESTER




Adapted to Remington 14½; Winchester 53, 92; Remington, Winchester single shot rifles, Marlin 1894.

4409	200 grs.	Soft Point	90 lbs.
------	----------	------------	---------

Packed 50 in a box. 2,000 in a case.

45-70 GOVERNMENT



Adapted to Remington, Winchester, Springfield single shot rifles; Winchester 86; Marlin 1895.

4553	405 grs.	Soft Point	97 lbs.
------	----------	------------	---------

Packed 20 in a box. 1,000 in a case.

*H.V. - "High Velocity"

BALLISTICS • PETERS CENTER FIRE RIFLE CARTRIDGES

WITH "RUSTLESS" PRIMING

Index No.	Cartridge	Bullet		Velocity—Feet Per Second				Energy—Foot Pounds				Mid-Range Trajectory (Inches)		
		Wgt. Grs.	Style	Muzzle	100 Yds.	200 Yds.	300 Yds.	Muzzle	100 Yds.	200 Yds.	300 Yds.	100 Yds.	200 Yds.	300 Yds.
2274	22 HORNET HIGH VELOCITY	45	M.C.H.P.	2690	2030	1510	1150	720	410	230	130	0.8	4.3	13.0
2276	22 HORNET HIGH VELOCITY	45	S.P.	2690	2030	1510	1150	720	410	230	130	0.8	4.3	13.0
2244	222 REMINGTON HIGH VELOCITY	50	S.P.	3200	2650	2170	1750	1140	780	520	340	0.5	2.5	7.0
2246	222 REMINGTON MAGNUM H. V.	55	S.P.	3300	2800	2340	1930	1330	955	670	455	0.5	2.3	6.1
2431	243 WINCHESTER HIGH VELOCITY	80	P.S.P.	3500	3080	2720	2410	2180	1690	1320	1030	0.4	1.8	4.7
2432	243 WINCHESTER HIGH VELOCITY	100	I.B.P.S.P.	3070	2790	2540	2320	2090	1730	1430	1190	0.5	2.2	5.5
2441	244 REMINGTON HIGH VELOCITY	75	P.S.P.	3500	3070	2660	2290	2040	1570	1180	875	0.4	1.9	4.9
2442	244 REMINGTON HIGH VELOCITY	90	P.S.P.	3200	2850	2530	2230	2050	1630	1280	995	0.5	2.1	5.5
2572	250 SAVAGE HIGH VELOCITY	87	S.P.	3030	2660	2330	2060	1770	1370	1050	820	0.6	2.5	6.4
2570	250 SAVAGE HIGH VELOCITY	100	I.B.P.S.P.	2820	2500	2210	1940	1760	1390	1080	835	0.6	2.8	7.1
2568	250 SAVAGE HIGH VELOCITY	100	I.B.S.P.	2820	2350	1970	1670	1760	1220	860	620	0.6	3.1	8.4
2555	25-20 WINCHESTER HIGH VELOCITY	60	M.C.H.P.	2250	1660	1240	1030	675	365	205	140	1.2	6.3	21.0
2552	25-20 WINCHESTER	86	Lead	1460	1180	1030	940	405	265	200	170	2.6	12.5	32.0
2553	25-20 WINCHESTER	86	S.P.	1460	1180	1030	940	405	265	200	170	2.6	12.5	32.0
2575	25-35 WINCHESTER	117	M.C.	2300	1910	1600	1340	1370	945	665	465	1.0	4.6	12.5
2582	25-35 WINCHESTER HIGH VELOCITY	117	I.B.S.P.	2300	1950	1680	1460	1370	985	730	555	1.0	4.6	12.0
2584	257 ROBERTS HIGH VELOCITY	117	I.B.S.P.	2650	2280	1950	1690	1820	1350	985	740	0.7	3.4	8.8
2701	270 WINCHESTER HIGH VELOCITY	100	P.S.P.	3480	3070	2690	2340	2690	2090	1600	1220	0.4	1.8	4.8
2704	270 WINCHESTER HIGH VELOCITY	130	P.P.Exp.	3140	2880	2630	2400	2840	2390	1990	1660	0.5	2.1	5.1
2705	270 WINCHESTER HIGH VELOCITY	130	I.B.P.S.P.	3140	2850	2580	2320	2840	2340	1920	1550	0.5	2.1	5.3
2702	270 WINCHESTER HIGH VELOCITY	150	I.B.S.P.	2800	2440	2140	1870	2610	1980	1520	1160	0.6	2.9	7.6
2801	7mm. MAUSER	175	S.P.	2490	2170	1900	1680	2410	1830	1400	1100	0.8	3.7	9.5
2813	280 REMINGTON HIGH VELOCITY	100	P.P. Exp.	3570	3160	2770	2420	2830	2220	1700	1300	0.4	1.8	4.5
2810	280 REMINGTON HIGH VELOCITY	125	I.B.P.S.P.	3190	2880	2590	2320	2820	2300	1860	1490	0.5	2.1	5.3
2811	280 REMINGTON HIGH VELOCITY	150	I.B.P.S.P.	2890	2660	2440	2210	2780	2360	1980	1630	0.6	2.5	6.1
2812	280 REMINGTON HIGH VELOCITY	165	I.B.S.P.	2820	2510	2220	1970	2910	2310	1810	1420	0.6	2.8	7.2
3066	30 REMINGTON	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	1.0	5.0	13.0
3048	30 REMINGTON HIGH VELOCITY	170	I.B.H.P.	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
3054	30 REMINGTON HIGH VELOCITY	170	I.B.S.P.	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
3019	300 SAVAGE HIGH VELOCITY	150	I.B.S.P.	2670	2270	1930	1660	2370	1710	1240	915	0.7	3.3	9.3
3084	300 SAVAGE HIGH VELOCITY	150	P.P.Exp.	2670	2410	2170	1950	2370	1930	1570	1270	0.7	3.0	7.5
3024	300 SAVAGE HIGH VELOCITY	150	I.B.P.S.P.	2670	2390	2130	1890	2370	1900	1510	1190	0.7	3.0	7.6
3021	300 SAVAGE HIGH VELOCITY	180	I.B.S.P.	2370	2040	1760	1520	2240	1660	1240	920	0.9	4.1	10.5
3023	300 SAVAGE HIGH VELOCITY	180	I.B.P.S.P.	2370	2160	1960	1770	2240	1860	1530	1250	0.9	3.7	9.2
3028	300 H & H MAGNUM HIGH VEL.	180	I.B.P.S.P.	2920	2670	2440	2220	3400	2850	2380	1970	0.6	2.4	5.8
3027	300 H & H MAGNUM HIGH VEL.	220	I.B.H.P.	2620	2320	2050	1830	3350	2630	2050	1630	0.7	3.2	8.2
3077	30-06 SPRINGFIELD HIGH VELOCITY	150	P.P.Exp.	2970	2710	2470	2240	2930	2440	2030	1670	0.5	2.4	6.0
3031	30-06 SPRINGFIELD	150	M.C.	2810	2550	2310	2080	2630	2160	1780	1440	0.6	2.6	6.7
3033	30-06 SPRINGFIELD HIGH VELOCITY	150	I.B.P.S.P.	2970	2670	2400	2130	2930	2370	1920	1510	0.6	2.4	6.1
3056	30-06 SPRINGFIELD HIGH VELOCITY	180	I.B.S.P.	2700	2330	2010	1740	2910	2170	1610	1210	0.7	3.1	8.3
3039	30-06 SPRINGFIELD HIGH VELOCITY	180	I.B.P.S.P.	2700	2470	2250	2040	2910	2440	2020	1660	0.7	2.9	7.0
3080	30-06 SPRINGFIELD HIGH VELOCITY	180	P.P.Exp.	2700	2480	2280	2080	2910	2460	2080	1730	0.7	2.9	6.9
3079	30-06 SPRINGFIELD	180	M.C.T.H.	2700	2520	2350	2190	2910	2540	2200	1900	0.6	2.8	6.7
3036	30-06 SPRINGFIELD HIGH VELOCITY	220	I.B.H.P.	2410	2120	1870	1670	2830	2190	1710	1360	0.8	3.9	9.8
3038	30-06 SPRINGFIELD HIGH VELOCITY	220	I.B.S.P.	2410	2120	1870	1670	2830	2190	1710	1360	0.8	3.9	9.8
3032	303 SAVAGE HIGH VELOCITY	180	I.B.H.P.	2140	1810	1550	1340	1830	1310	960	715	1.1	5.4	14.0
3035	303 SAVAGE HIGH VELOCITY	180	I.B.S.P.	2140	1810	1550	1340	1830	1310	960	715	1.1	5.4	14.0
3085	303 BRITISH	215	S.P.	2180	1900	1660	1460	2270	1720	1310	1020	1.1	4.9	12.5
3044	30-30 WINCHESTER HIGH VELOCITY	150	I.B.S.P.	2410	1960	1620	1360	1930	1280	875	615	0.9	4.5	12.5
3064	30-30 WINCHESTER HIGH VELOCITY	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	1.0	5.0	13.0
3043	30-30 WINCHESTER HIGH VELOCITY	170	I.B.H.P.	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
3058	30-30 WINCHESTER HIGH VELOCITY	170	I.B.S.P.	2220	1890	1630	1410	1860	1350	1000	750	1.2	4.6	12.5
3046	30-40 Krag HIGH VELOCITY	180	I.B.S.P.	2470	2120	1830	1590	2440	1790	1340	1010	0.8	3.8	9.9
3051	30-40 Krag HIGH VELOCITY	180	I.B.P.S.P.	2470	2250	2040	1850	2440	2020	1660	1370	0.8	3.5	8.5
3049	30-40 Krag HIGH VELOCITY	220	I.B.H.P.	2200	1930	1700	1510	2360	1820	1410	1110	1.0	4.6	12.0
3047	30-40 Krag HIGH VELOCITY	220	I.B.S.P.	2200	1930	1700	1510	2360	1820	1410	1110	1.0	4.6	12.0
3086	308 WINCHESTER HIGH VELOCITY	110	P.S.P.	3340	2810	2340	1920	2730	1930	1340	900	0.5	2.2	6.0
3087	308 WINCHESTER HIGH VELOCITY	150	I.B.P.S.P.	2860	2570	2300	2050	2730	2200	1760	1400	0.6	2.6	6.5
3088	308 WINCHESTER HIGH VELOCITY	180	I.B.P.S.P.	2610	2390	2170	1970	2720	2280	1870	1540	0.8	3.1	7.4
3102	8mm. MAUSER	170	I.B.S.P.	2570	2140	1790	1520	2490	1730	1210	870	0.8	3.9	10.5
3292	32 REMINGTON HIGH VELOCITY	170	I.B.S.P.	2220	1890	1610	1400	1860	1350	975	740	1.0	4.9	13.0
3295	32 REMINGTON HIGH VELOCITY	170	I.B.H.P.	2220	1890	1610	1400	1860	1350	975	740	1.0	4.9	13.0
3278	32 WINCHESTER SPECIAL HIGH VEL.	170	I.B.H.P.	2280	1920	1630	1410	1960	1390	1000	750	1.0	4.8	12.5
3279	32 WINCHESTER SPECIAL HIGH VEL.	170	I.B.S.P.	2280	1920	1630	1410	1960	1390	1000	750	1.0	4.8	12.5
3272	32-20 WINCHESTER HIGH VELOCITY	80	M.C.H.P.	2100	1430	1090	950	780	365	210	160	1.5	8.5	24.5
3269	32-20 WINCHESTER	100	Lead	1290	1060	940	840	370	250	195	155	3.3	15.5	38.0
3270	32-20 WINCHESTER	100	S.P.	1290	1060	940	840	370	250	195	155	3.3	15.5	38.0
3288	32-40 WINCHESTER	165	S.P.	1440	1250	1100	1030	760	570	445	390	2.4	11.0	28.0
3481	348 WINCHESTER HIGH VELOCITY	150	S.P.	2890	2360	1860	1420	2780	1850	1150	670	0.6	3.2	9.0
3483	348 WINCHESTER HIGH VELOCITY	200	I.B.H.P.	2530	2140	1820	1570	2840	2030	1470	1090	0.8	3.8	10.0
3484	348 WINCHESTER HIGH VELOCITY	200	I.B.S.P.	2530	2140	1820	1570	2840	2030	1470	1090	0.8	3.8	10.0
3592	35 REMINGTON HIGH VELOCITY	150	I.B.P.S.P.	2400	1960	1580	1280	1920	1280	835	545	0.9	4.6	13.0
3594	35 REMINGTON HIGH VELOCITY	200	I.B.H.P.	2210	1830	1540	1310	2170	1490	1050	760	1.1	5.2	14.0
3589	35 REMINGTON HIGH VELOCITY	200	I.B.S.P.	2210	1830	1540	1310	2170	1490	1050	760	1.1	5.2	14.0
3585	351 WINCHESTER SELF-LOADING	180	S.P.	1850	1560	1310	1140	1370	975	685	520	1.5	7.8	21.5
3586	351 WINCHESTER SELF-LOADING	177	M.C.	1850	1560	1310	1140	1370	975	685	520	1.5	7.8	21.5
3856	38-40 WINCHESTER	180	S.P.	1330	1070	960	850	705	455	370	290	3.2	15.0	36.5
3872	38-55 WINCHESTER	255	S.P.	1320	1160	1050	1000	985	760	625	565	2.9	13.0	32.0
4409	44-40 WINCHESTER	200	S.P.	1310	1050	940	830	760	490	390	305	3.3	15.0	36.5
4553	45-70 GOVERNMENT	405	S.P.	1320	1160	1050	990	1570	1210	990	880	2.9	13.0	32.5

Abbreviations: M.C.—Metal Case
H.P.—Hollow Point

S.P.—Soft Point
I.B.—Inner Belted
T.H.—Tapered Heel

P.S.P.—Pointed Soft Point
P.P.Exp.—Protected Point Expanding

PETERS caliber suggestions . . .

For bigger game species such as moose, elk, bear, and caribou, these are some of the heavier PETERS "INNER-BELTED" cartridges recommended by big-game hunters.



300 H & H Magnum 220 gr. H.P. 180 gr. P.S.P.	30-40 Krag 220 gr. S.P.	280 Remington 165 gr. S.P. 150 gr. P.S.P.
35 Remington 200 gr. S.P. 200 gr. H.P.	30-06 Springfield 220 gr. S.P. 220 gr. H.P.	348 Winchester 200 gr. S.P. 200 gr. H.P.
270 Winchester 150 gr. S.P.	180 gr. P.S.P.	300 Savage 180 gr. S.P. 180 gr. P.S.P.



Here are just a few of the many PETERS cartridges and bullet styles designed for game that is tough and hard to reach such as antelope, mountain goat and mountain sheep.

300 Savage 150 gr. S.P. 150 gr. P.P.Exp.	300 H & H Magnum 220 gr. H.P. 180 gr. P.S.P.	280 Remington 150 gr. P.S.P. 125 gr. P.S.P.
30-06 Springfield 150 gr. P.S.P. 150 gr. P.P.Exp. 180 gr. P.S.P.	257 Roberts 117 gr. S.P.	30-40 Krag 180 gr. P.S.P.
	270 Winchester 130 gr. P.S.P. 130 gr. P.P.Exp.	308 Winchester 150 gr. P.S.P. 180 gr. P.S.P.

For deer, mountain lion, black bear, and jaguar, PETERS provides still another good selection to choose from.

270 Winchester 150 gr. S.P. 130 gr. P.S.P.	32 Remington 170 gr. S.P.	30 Remington 170 gr. S.P.
30-06 Springfield 180 gr. S.P. 180 gr. P.S.P. 150 gr. P.P.Exp. 180 gr. P.P.Exp.	30-30 Winchester 170 gr. S.P.	280 Remington 165 gr. S.P. 150 gr. P.S.P.
		300 Savage 150 gr. P.P.Exp.



For smaller game and varmints including woodchuck, fox, bobcat, and wolf, PETERS cartridges such as these satisfy the most exacting hunters.



222 Remington 50 gr. S.P.	222 Remington Magnum 55 gr. S. P.	250 Savage 100 gr. P.S.P. 87 gr. S.P.
244 Remington 75 gr. P.S.P. 90 gr. P.S.P.	280 Remington 100 gr. P. P. Exp. 125 gr. P.S.P.	22 Hornet 45 gr. S.P. 45 gr. H.P.
	257 Roberts 117 gr. S. P.	

Peters cartridge interchangeability

rim fire

22 W.R.F.
22 Remington Special
22 Winchester M/1890
25 Stevens Short in 25 Stevens but not conversely
32 Short in 32 Long but not conversely

center fire

25-20 Winchester, Marlin, Remington
25-20 Winchester and Marlin
25-20 W.C.F.
25-20 Winchester
25-20 Winchester High Velocity
25-20 Marlin
25 Colt Automatic
25 Automatic Pistol
25 (6.35 mm.) Automatic Pistol
6.35 mm. Browning Automatic
30-30 Winchester, Marlin, Savage
30-30 Winchester
30-30 Marlin
30-30 Winchester High Velocity
30 W.C.F.

See Note A

32 Short Colt in 32 Long Colt but not conversely
32 Colt Automatic
32 Automatic Pistol
32 (7.65 mm.) Automatic Pistol
7.65 mm. Automatic Pistol
32 Smith & Wesson in
32 Smith & Wesson Long but not conversely
32 Smith & Wesson, Long
32 Colt New Police
32 Colt Police Positive
32 Winchester, Marlin, Remington*
32 Winchester and Marlin*
32 W.C.F.*
32 Winchester*
32-20 Winchester*
32-20 Winchester High Velocity*
32-20 Marlin*
32-20 Colt L.M.R.*
32-20 W.C.F.*
32-20 Winchester and Marlin*
38 Short Colt in 38 Long Colt but not conversely. Both can be used in
38 Special

38 Smith & Wesson
38 Colt New Police

See Note B


38 Colt Special
38 Smith & Wesson Special
38 Special Police Match
38 Smith & Wesson Special Mid-Range
38 Special High Velocity (†)
38-44 Special (†)
38 Special
38 Special Flat Point
38 Winchester, Marlin, Remington
38 Winchester
38 Remington
38-40 Winchester
38 W.C.F.
44 Winchester, Marlin, Remington
44 Winchester
44 Remington (not Magnum)
44 W.C.F.
44-40 Winchester
45-70 Government
45-70 Marlin
45-70-405
9 mm. Luger Automatic Pistol
9 mm. Parabellum

NOTE: *High Velocity, Hi-Speed Cartridges must not be used in Revolvers, they should be used only in rifles made especially for them. Exceptions: items marked (†) are designed especially for the 38-44 Smith & Wesson Revolver and the 38 Colt Shooting Master. Pressure of these two cartridges is safe for lighter guns, but the recoil is likely to be more unpleasant and the frame may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 Smith & Wesson Long, or 32 Smith & Wesson.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

PETERS BULLET TYPES



"WAD CUTTER"

For fine target shooting with pistols and revolvers. A natural for any shooter who wants pinpoint accuracy. Cuts clean hole in paper target.



METAL PENETRATING

A patented, special metal bullet designed especially for law enforcement agencies. Penetrates most metal, including steel.



METAL POINT

Gives better penetration than lead bullet due to non-fouling gilding metal jacket over nose.




LEAD

General purpose or "service load." A solid lead, round nose bullet, excellent for target or hunting.



LEAD GAS-CHECK

Special gas-check heel cap acts as piston ring. Seals gas behind bullet for pile-driver power.



PROTECTED POINT EXPANDING

Sharp solid metal point gives bullet superior wind bucking and trajectory characteristics. Excellent for all-around hunting use.



"INNER-BELTING" POINTED SOFT POINT

Unexcelled for flat trajectory, maximum remaining velocity, and maximum striking energy. Lead core, gilding metal jacket, directional nose cuts for uniform expansion.



"INNER-BELTING" HOLLOW POINT

Gives up to double caliber expansion due to exclusive "Inner-Belting" feature. A real big game getter. Lead core, gilding metal jacket.




"INNER-BELTING" SOFT POINT

The most popular game bullet of all. A fine bullet style for hunting in brush country. Hard to deflect, delivers a terrific wallop. Gilding metal jacket with lead core exposed at tip for rapid expansion.



METAL CASE HOLLOW POINT

A fine big game bullet designed for deep penetration and maximum expansion. Lead core with gilding metal jacket.



SOFT POINT

A tried and true bullet style used by hunters for many years. Lead core is exposed through gilding metal jacket for twice caliber expansion.



METAL CASE

The perfect hunting bullet for game with extra tough hide, or for light game when minimum meat spoilage is desired. Full metal jacket over lead core.



TAPERED HEEL, POINTED

The most accurate bullet style made. Perfect accuracy over long ranges. Designed expressly for target shooting.

PETERS HANDGUN CARTRIDGE BALLISTICS

Index No.	Cartridge	Bullet		Velocity—Feet Per Second			Energy—Foot Pounds			Mid-Range Trajectory (in.)		Barrel Inches
		Wgt. Grs.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
2562	25 (6.35mm.) AUTOMATIC	50	M.C.	810	755	700	73	63	54	1.8	7.7	2
3052	30 (7.65mm.) LUGER	93	M.C.	1220	1110	1035	307	254	221	0.9	3.5	4½
3252	32 SHORT COLT	80	Lead	795	710	635	112	89	72	1.9	8.6	4
3254	32 LONG COLT	80	Lead	790	740	700	111	97	87	1.9	8.0	4
3256	32 COLT NEW POLICE	100	Lead	785	725	670	137	117	100	1.9	8.3	4
3260	32 (7.65mm.) AUTOMATIC PISTOL	71	M.C.	960	905	850	145	129	114	1.3	5.4	4
3262	32 SMITH & WESSON	88	Lead	705	670	630	97	88	77	2.6	9.8	3
3265	32 SMITH & WESSON LONG	98	Lead	780	740	700	132	119	107	1.9	7.9	4
3575	357 MAGNUM HIGH VELOCITY	158	Lead	1430	1255	1130	717	551	447	0.6	2.8	8½
3651	9mm. LUGER	124	M.C.	1120	1030	965	345	292	256	1.0	4.1	4
3822	38 SMITH & WESSON	146	Lead	730	695	655	173	156	139	2.2	9.0	4
3844	38 SPECIAL	158	Lead	855	820	790	256	236	219	1.6	6.5	6
3841	38 SPECIAL	200	Lead	730	695	665	236	214	196	2.2	9.0	6
3826	38 SPECIAL METAL POINT	158	M.P.	855	820	790	256	236	219	1.6	6.5	6
3847	38 SPECIAL POLICE MATCH WAD CUTTER	148	Lead	770	655	560	195	141	103	2.1	10.0	6
3810	38 SPECIAL HIGHWAY PATROL METAL PENETRATING H.V.	110	Spcl.	1320	1130	1020	425	312	254	0.7	3.4	5
3842	38 SPECIAL HIGH VELOCITY	158	Lead	1085	1030	980	413	372	337	1.0	4.2	5
3831	38 COLT NEW POLICE	150	Lead	680	645	615	154	138	126	2.5	10.5	4
3833	38 SHORT COLT	125	Lead	760	715	670	160	142	124	2.1	8.7	6
3835	38 LONG COLT	150	Lead	770	735	700	197	180	163	1.9	8.1	6
3849	38 SUPER AUTOMATIC	130	M.C.	1275	1140	1050	469	375	318	0.8	3.4	5
3851	38 AUTOMATIC	130	M.C.	1040	980	925	312	277	247	1.0	4.7	4½
3853	380 AUTOMATIC (9mm.)	95	M.C.	955	865	785	192	158	130	1.4	5.9	3¾
4154	41 LONG COLT	195	Lead	730	705	680	231	207	200	2.2	8.8	6
4410*	44 REMINGTON MAGNUM	240 Lead, gas-check		1675	1450	1260	1490	1120	845	0.4	2.1 Test Bbl.	
				1470	1275	1120	1150	870	670	0.6	2.7	6½
4405	44 SMITH & WESSON SPECIAL	246	Lead	755	725	695	311	283	264	2.0	8.3	6½
4502	45 COLT	250	Lead	855	815	775	405	368	333	1.6	6.6	5½
4504	45 AUTOMATIC	230	M.C.	850	810	775	369	335	307	1.6	6.5	5
4507	45 AUTOMATIC POLICE MATCH WAD CUTTER	185	M.C.	775	695	625	247	198	160	2.0	9.0	5
4512	45 AUTO. HIGHWAY PATROL METAL PENETRATING H.V.	173	Spcl.	1125	1005	920	486	388	325	1.0	4.3	5
4506	45 AUTOMATIC RIM	230	Lead	805	765	725	331	299	268	1.8	7.4	5½


*Figures obtained with same bullet under different test conditions.

PETERS

CENTER FIRE

PISTOL AND REVOLVER

CARTRIDGES



UNIFORM CRIMPING holds bullet and aids perfect combustion and improved accuracy. "Oil-Tite" at crimp and primer.

UNIFORM LOADING of newest smokless powder gives maximum effective performance.

PETER'S EXCLUSIVE "RUSTLESS" PRIMING gives fast, positive ignition. Will not cause rust or corrosion.

STRONG BRASS CASE of finest quality.

BULLET OF SPECIAL DESIGN, close tolerance and weight. Properly lubricated to increase accuracy and prevent barrel fouling.

Experience has shown that Peters pistol and revolver ammunition is unsurpassed in accuracy, fast ignition, smooth functioning and dependability.

Peters "Police Match" 38 Specials and 45 Automatic cartridges have achieved sensational victories in target shooting competition. All feature brass cases of solid head construction, "Rustless" priming, accurate bullet design.

Law enforcement agencies, too, rely on Peters pistol and revolver cartridges. These men know that Peters uniform loading, quick firing, superbly accurate and powerful cartridges are perfect for every emergency.

The powder and primer of every Peters center fire pistol and revolver cartridge is protected from any oil seepage by the exclusive "Oil-Tite" process.

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------



**25 (6.35mm.)
AUTOMATIC PISTOL**

Adapted to Colt, Browning, Mauser, other automatic pistols.

2562 50 grs. Metal Case 62 lbs.
Packed 50 in a box. 5,000 in a case.



**30 LUGER (7.65mm.)
AUTOMATIC PISTOL**

Adapted to Luger automatic pistol; cannot be used in Luger carbine.


3052 93 grs. Metal Case 50 lbs.
Packed 50 in a box. 2,000 in a case.



32 SMITH & WESSON

Adapted to Smith & Wesson, Colt, Harrington and Richardson, Iver Johnson, other revolvers; not adapted to revolvers chambered for 32 Short Colt.

3262 88 grs. Lead 100 lbs.
Packed 50 in a box. 5,000 in a case.



**32 SMITH
& WESSON
LONG**

Adapted to Smith & Wesson, Colt, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.


3265 98 grs. Lead 94 lbs.
Packed 50 in a box. 4,000 in a case.



32 SHORT COLT

Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifle; not adapted to revolvers chambered for 32 S & W cartridge.


3252 80 grs. Lead 93 lbs.
Packed 50 in a box. 5,000 in a case.



32 LONG COLT

Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifle; not adapted to revolvers chambered for 32 S & W cartridge.

3254 80 grs. Lead 78 lbs.
Packed 50 in a box. 4,000 in a case.



**32 COLT
NEW POLICE**

Adapted to Colt, Smith & Wesson, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.

3256 100 grs. Lead 95 lbs.
Packed 50 in a box. 4,000 in a case.



**32 (7.65mm.)
AUTOMATIC PISTOL**

Adapted to Remington, Browning, Colt, Mauser, Savage, Smith & Wesson, other automatic pistols.

3260 71 grs. Metal Case 87 lbs.
Packed 50 in a box. 5,000 in a case.



**32-20
WINCHESTER**

Adapted to Colt, Smith & Wesson revolvers; use cartridge with 100 gr. all lead bullet only (Note: 32-20 Winchester "High Velocity" cartridge is for use in rifles only and should not be used in revolvers).

3269 100 grs. Lead 53 lbs.
3270 100 grs. Soft Point 53 lbs.

Packed 50 in a box. 2,000 in a case.



357 MAGNUM

Adapted to Smith & Wesson and other revolvers originally chambered for this cartridge.

3575 158 grs. Lead 76 lbs.
Packed 50 in a box. 2,000 in a case.

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------



**9mm. LUGER
AUTOMATIC PISTOL**

Adapted to Smith & Wesson, Colt, and other semi-automatic pistols.

3651 124 grs. Metal Case 57 lbs.
Packed 50 in a box. 2,000 in a case.



**380
AUTOMATIC PISTOL**

Adapted to Remington, Colt, Browning, Savage, other automatic pistols.

3853 95 grs. Metal Case 46 lbs.
Packed 50 in a box. 2,000 in a case.



**38 AUTOMATIC
COLT PISTOL**

Adapted to Colt automatic pistol—military, sporting, pocket models.


3851 130 grs. Metal Case 61 lbs.
Packed 50 in a box. 2,000 in a case.



**38 SUPER
AUTOMATIC
COLT PISTOL**

Adapted to Colt Super 38 automatic and Commander pistols ONLY.

3849 130 grs. Metal Case 62 lbs.
Packed 50 in a box. 2,000 in a case.



**38 SMITH
& WESSON**

Adapted to Smith & Wesson, Colt, other revolvers.

3822 146 grs. Lead 63 lbs.
Packed 50 in a box. 2,000 in a case.



38 SPECIAL

Adapted to Smith & Wesson, Colt, other revolvers. "High Velocity" for use only in such revolvers as are designed for high velocity ammunition.

3847 148 grs. Police Match Lead "Wad Cutter" 69 lbs.
3844 158 grs. Lead 70 lbs.
3826 158 grs. Metal Point 70 lbs.
3841 200 grs. Lead 82 lbs.

Packed 50 in a box. 2,000 in a case.




**38 SPECIAL
"HIGH VELOCITY"**

Adapted to Smith & Wesson, Colt, other revolvers originally chambered for high velocity ammunition.

3810 110 grs. H.V. "Highway Patrol" Metal Penetrating 57 lbs.


3842 158 grs. H.V. Lead 71 lbs.
Packed 50 in a box. 2,000 in a case.



**38 COLT
NEW POLICE**

Adapted to Colt, Smith & Wesson, other revolvers.

3831 150 grs. Lead 65 lbs.
Packed 50 in a box. 2,000 in a case.



38 SHORT COLT

Adapted to Colt revolvers.

3833 125 grs. Lead 57 lbs.
Packed 50 in a box. 2,000 in a case.

Index Number	Bullet Weight	Bullet Style	Av. Wt. Per Case
--------------	---------------	--------------	------------------



38 LONG COLT

Adapted to Colt, Smith & Wesson revolvers.

3835 150 grs. Lead 68 lbs.
Packed 50 in a box. 2,000 in a case.



**38-40
WINCHESTER**

Adapted to Colt revolvers (Note: "High Velocity" cartridges are for use in rifles only and should not be used in revolvers).

3856 180 grs. Soft Point 83 lbs.
Packed 50 in a box. 2,000 in a case.



41 LONG COLT

Adapted to Colt Double Action, Frontier Single Action revolvers.

4154 195 grs. Lead 86 lbs.
Packed 50 in a box. 2,000 in a case.



**44
REMINGTON
MAGNUM**

Adapted to Smith & Wesson, other 44 magnum revolvers.


4410 240 grs. Lead, Gas Check, "High Velocity" 58 lbs.
Packed 50 in a box. 1,000 in a case.



**44 SMITH
& WESSON
SPECIAL**

Adapted to Smith & Wesson, Colt revolvers.


4405 246 grs. Lead 51 lbs.
Packed 50 in a box. 1,000 in a case.



**44-40
WINCHESTER**

Adapted to Colt revolvers (Note: "High Velocity" cartridges are for use in rifles only and should not be used in revolvers).

4409 200 grs. Soft Point 90 lbs.
Packed 50 in a box. 2,000 in a case.



45 COLT

Adapted to Colt Shooting Master, New Service, Single Action Army revolvers.

4502 250 grs. Lead 53 lbs.
Packed 50 in a box. 1,000 in a case.




45 AUTOMATIC

Adapted to Colt Automatic Pistol, Thompson Sub-Machine gun, Colt 1917 revolver with clips, Smith & Wesson 1917, 1950 and 1955 revolvers with clips.

4504 230 grs. Metal Case 49 lbs.
4507 185 grs. Police Match Metal Case "Wad Cutter" 44 lbs.

4512 173 grs. H.V. "Hwy Patrol" Metal Penetrating 42 lbs.

Packed 50 in a box. 1,000 in a case.



45 AUTO RIM

Adapted to Colt 1917 revolvers; Smith & Wesson 1917, 1950 and 1955 revolvers.

4506 230 grs. Lead 47 lbs.
Packed 50 in a box. 1,000 in a case.


PETERS



SHOTGUN SHELLS

Shown as
shotgun shell
example is
"Victor"
field load.

**PETERS
PACKS
THE
POWER . . .
and
PATTERNS**



PETERS

SHOTGUN SHELLS
ARE RIGHT FOR YOUR KIND OF SHOOTING!



Marshland or Upland...



you're always ahead with Peters "power rated" shells

Peters shotgun shells, with more knockdown power, will make a big difference in your shooting. For every type of game, every hunting range, Peters gives you the right load for hard hitting wallop.

"Power Rated" Performance—"Rustless" priming, wetproof body for extra strength, Peters crimp for perfect patterns . . . full dependability with Peters shotgun shells.



"HIGH VELOCITY"

Long-Range Power Load—Designed especially for greater power and reach. Forty-three different powder and shot combinations; gauges 10 to 410—plus six different loadings of Peters Buck Shot in 12, 16, and 20 gauges. And to convert your shotgun to a rifle of tremendous knockdown power, Peters Rifled Slugs are available in 12, 16, 20, 28, and 410 gauges.



"VICTOR"

Field Load—Fast, light-recoil loads for correct penetration and pattern density on a wide variety of upland game. Thirty-one different powder and shot combinations for everything from rail to rabbit—plus scatter loads for game-getting patterns in close cover. Available in 12, 16, and 20 gauges.



TARGET LOADS


When competition at the gun club gets hot and you want assurance in your target loads . . . Peters packs the patterns.

Here it is! An ALL-NEW Peters target load with 25% lighter wad column features the lightest recoil of any target-rated shell. That's not all. From new brass base to the special crimp, Peters Target Loads are all new. New primer, new base and column wads, new shell body. Each component has been improved and strengthened to give you perfect target-smashing patterns.

Shoot a case of these great new Peters shells. They have everything you've been looking for in a target load . . . and then some. You'll be in for real shooting surprise and pleasure.


PETERS PACKS THE POWER

Loaded With
Power For
Your Kind
of Hunting!




You'll get "Rustless" priming that provides speedy ignition, will not cause rust or corrosion; Peters Flat-Top crimp that eliminates "blown patterns"; polished double-inspected uniform size shot. And each Peters shotgun shell is a precision product incorporating special features: Tough wax-coated bodies—Scuff-proof and "Water-Tite"; special wads to keep power behind shot, lubricated to reduce friction, prevent gas leakage; progressive burning powder for extra wallop.


Next time out, load up with Peters "High Velocity" or "Victor" shotgun shells . . . your best way to better shotgun shooting!



You get more pellets in the pattern as well as more power behind the pellets. Specially lubricated wads seal the gas piston-tight behind the shot charge. In front . . .



Flat-Top Crimp gives you full patterns every time. Because nothing obstructs the shot charge, you can count on dense, full patterns, with no holes through which game can escape. The result is . . .



More knockdown power as this dramatic illustration shows. For game like ducks, geese, fox, turkey, use Peters 2 3/4" magnum shells—loaded to the limit for power—for game-getting results!

AMERICA'S MOST POPULAR

TRAP & SKEET EQUIPMENT

NEW REMINGTON SQUARE SHOULDER "BLUE ROCK" TARGETS

Ideal for Any Trap




NEW DESIGN! The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!

NEW REMINGTON AUTOLOADING TRAP

Labor-saving (no trap boy needed) • Large capacity (203 targets) • Easy loading, stack at a time • No tools required • Connects to 110 volt wiring system • Makes commercial gun clubs profitable!



MODEL 100T FOR TRAP

1 Remington autoloading trap with 1/2 HP motor, 60 cycle, 115 volts, and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.



MODEL 200S FOR SKEET

2 Remington autoloading traps with 1/2 HP motors, 60 cycle, 115 volts. 1 walk around release unit and 70 feet of wire. 2 power control boxes. 1 connection box.



REMINGTON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

GAME GETTING CHART


No.	SHOT										COMPARATIVE SIZES					BUCK SHOT				
	12	9	8	7½	6	5	4	2	BB		4	3	1	0	00					
Diameter in Inches	•	•	•	•	•	•	•	•	•		•	•	•	•	•					
	.05	.08	.09	.09½	.11	.12	.13	.15	.18		.24	.25	.30	.32	.33					
Approx. Pellets in 1 oz.	2385	585	410	350	225	170	135	90	50	Approx. Pellets in 1 lb.	340	300	175	145	130					

SUGGESTED SHOT SIZES FOR GAME

Game	Shell	Shot Size	Suggested Chokes	What Experienced Hunters Say . . .
DUCKS	Peters "High Velocity"	4, 5, 6	FULL—For Pass Shooting MODIFIED—Over Decoys	Use No. 4 shot for long range and pass shooting. For normal range—No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys.
GEESE	Peters "High Velocity"	BB, 2, 4	FULL	Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys.
PHEASANTS	Peters "High Velocity"	5, 6	MODIFIED FULL—For Long Cornfield Shots	For cornfield shooting where long shots are usual—better use No. 5. On a normal rise over dogs and for all around use No. 6 is the favorite.
GROUSE OR PARTRIDGE	Peters "High Velocity" or Peters "Victor"	5, 6 7½, 8	IMPROVED CYLINDER OR MODIFIED— For Brush Work FULL—For Open Ranges	On the smaller birds such as ruffed grouse or Hungarian Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and large shot.
QUAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED	For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used.
DOVES AND PIGEONS	Peters "High Velocity" or Peters "Victor"	6, 7½, 8	MODIFIED	You can do a good job on mourning doves at normal ranges with the lighter loads and No. 7½ or No. 8 shot—but for longer ranges use the heavy loads and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings.
WOODCOCK	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED	Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice.
RABBITS	Peters "High Velocity" or Peters "Victor"	4, 5, 6	IMPROVED CYLINDER OR MODIFIED—For Brush FULL—For Long Open Shots	For cottontail rabbits at normal range, the lighter loads are suitable, but for larger game such as jack rabbits and snow shoe rabbits use heavy loads.
SQUIRRELS	Peters "High Velocity"	5, 6	MODIFIED	Most hunters use 5's or 6's and prefer the heavy loads particularly in the tall timber.
RAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER	For little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail.
TURKEY	Peters "High Velocity"	BB, 2, 4	FULL	Choice of shot size depends on your range. If you're a good caller No. 4 shot makes a clean kill while BB's and No. 2's are best for long shots.
FOX	Peters "High Velocity"	BB, 2	FULL	It's a toss-up between BB's and No. 2 shot. But remember—the smaller the shot, the denser the pattern.
DEER BLACK BEAR AND WOLF	Peters "High Velocity"	Rifled Slug and Buck Shot	For rifled slugs . . . any choke may be used. Full choke for buckshot loads.	For deer and black bear 12 and 16 gauge slugs are the best. 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot.

Remington


The Oldest Gunmakers in America Present the Newest Guns




SHOTGUNS



REMINGTON "Sportsman" 58—3 shot autoloading shotgun. Fastest loading, softest recoiling autoloading shotgun in the world. Light weight, instant pointing, ruggedness, and dependability are only a few features. Quick change barrels without adjustment. 12, 16, 20 gauges.



REMINGTON "Sportsman" 48—Light weight, streamlined, 3 shot autoloading shotgun in 12, 16, 20 gauges.



REMINGTON MODEL 11-48—5 shot twin of the "Sportsman-48" with same streamlined appearance and dependable performance. 12, 16, 20, 28, and 410 gauges (28 and 410 four shot).



REMINGTON "Wingmaster" MODEL 870 MAGNUM—3 shot, 12 gauge, slide action, repeating shotgun. The greatest value ever offered for a fast pointing, dependable, magnum shotgun for those long, reaching shots. Will handle both 3" and 2¾" shells interchangeably without adjustment.



REMINGTON "Wingmaster" MODEL 870—A pump shotgun of superior quality at moderate price. Light weight, perfect balance, quick pointing, double action bars for greater strength and stability make the Model 870 a winner in any class. 12, 16, 20 gauges.

NOW . . .

America's oldest gunmakers offer America's newest and most complete line of sporting firearms. Every gun is a masterpiece in its class. Fast, accurate, unconditionally dependable . . . and backed since 1816 by Remington's experience in the firearms field.



For TRAP and SKEET



REMINGTON "Sportsman" 58TB TRAP SPECIAL GRADE—Available in 28" and 30" full choke ventilated rib barrel only. Select American walnut stock and fore-end. Ivory bead front sight. Remington recoil pad. Stock dimensions: length of stock 14¾", drop at heel 1⅞", at comb 1½". Weight 8 lbs.



REMINGTON "Sportsman" 58SA SKEET GRADE—Three shot; 12, 16, 20 gauges. 26" ventilated rib barrel only. Special Remington skeet boring, ivory bead front sight, white metal rear sight.



REMINGTON "Wingmaster" 870TB TRAP SPECIAL GRADE—Especially designed to meet every need of the trapshooter. Select grade American walnut stock and fore-end. Available in 28" or 30" full choke, 28" modified—ventilated rib barrel only. Stock dimensions same as 58TB.




REMINGTON "Wingmaster" MODEL 870SC SKEET "TARGET" GRADE—Superb quality figured American walnut in stock and fore-end, careful hand checkering. 12, 16, and 20 gauges. 26" ventilated rib barrel only. Special Remington skeet boring.

Remington

CENTER FIRE RIFLES



REMINGTON MODEL 725ADL—Chambered for 280 Remington, 270 Win. or 30-06 caliber, this new member of the sporting firearms field features a new all-purpose sporting stock, crisp match type trigger, and hinged floor plate. The Model 725 is a truly distinguished addition to the Remington family.



REMINGTON "Woodsmaster" MODEL 740—Most advanced autoloading high power rifle made today. Exclusive Remington "Power-Matic" action, non-recoiling barrel, light weight, and tested reliability make it the most sought after rifle in its field. In 30-06, 244 Rem., 280 Rem., 308 Win. calibers.



REMINGTON "Gamemaster" MODEL 760—The only slide action high power rifle made. The fastest hand operated big game rifle. New features exclusively found in Remington firearms. Offered in all grades in calibers 30-06, 222 Rem., 244 Rem., 270 Win., 280 Rem., 308 Win., 35 Rem.



REMINGTON MODEL 721—Strongest bolt action big game rifle ever built. An extremely accurate, fast-handling, powerful game-getter. Offered in 30-06, 270 Win. and 300 H & H Magnum calibers.



REMINGTON MODEL 722—A powerful, handsome streamliner, same as Model 721 except for shorter action, lighter weight. An amazingly accurate, quick handling, dependable firearm made in 222 Rem., 222 Rem. Magnum, 244 Rem., 300 Sav., 308 Win., and 257 Roberts.

Remington RIMFIRE RIFLES

CHOICE OF SMALL-BORE ENTHUSIASTS



REMINGTON "Fieldmaster" LIGHTWEIGHT MODEL 572—The name Remington means "first in the firearms field since 1816" . . . and here's added proof. A great new lightweight 22 in *color*—Crow Wing Black and Buck Skin Tan—the new "Fieldmaster" weighs only 4 pounds! Custom chrome step adjustable sporting rear sight, gold finished front sight. "Sun Grain" stock is brand new idea . . . another first by America's oldest and finest gunmakers. This new slide action Remington 22 will surprise and delight the small bore shooter.



REMINGTON "Sportmaster" MODEL 512—Bolt action, repeating 22 caliber rifle. Tubular magazine holds 22 short, 17 long, 15 long rifle cartridges. Receiver grooved for "Tip-Off" telescope mounts.



REMINGTON "Rangemaster" MODEL 40X—Designed by master craftsmen for master riflemen—the finest 22 caliber target rifle in the world today. Chambered for 22 long rifle caliber only. Shoot it for the best scores you've ever had!



REMINGTON "Speedmaster" MODEL 552—22 caliber autoloading rifle. Another new member of the Remington family which offers years ahead design. Tubular magazine holds 20 short, 17 long and 15 long rifle cartridges and will handle all three interchangeably, without adjustment.

VICTOR, TARGET, KRUMBLE BALL and THUNDERBOLT are Reg. U. S. Pat. Off. and HIGH VELOCITY, HIGHWAY PATROL, INNER-BELTED, POLICE MATCH, and RUSTLESS are trade marks of Peters Cartridge Division, Remington Arms Co., Inc. Bridgeport 2, Conn.
SPEEDMASTER, TARGETMASTER, SPORTSMAN, SCOREMASTER, FIELDMASTER, BLUE ROCK, SPORTMASTER, RANGEMASTER, WINGMASTER, WOODSMaster, MATCHMASTER, GAMEMASTER, EXPERT are Reg. U.S. Pat. Off. by and SUN GRAIN is a trade mark of Remington Arms Co., Inc.

Remington

RIMFIRE RIFLES



REMINGTON MODEL 550—22 caliber autoloading rifle with Remington's exclusive "Power Piston". Holds 22 short, 17 long, 15 long rifle cartridges. Rugged, dependable, amazing value in streamlined autoloading rifle.



REMINGTON "Fieldmaster" MODEL 572—22 caliber slide action repeater. Unexcelled performance and reliability. Receiver grooved for "Tip-Off" telescope mounts. Magazine capacity same as Model 552.




REMINGTON "Targetmaster" MODEL 510—Bolt Action, single shot 22. Self-cocking bolt, automatic safety, firing indicator. Chrome plated bolt, bolt handle and trigger.




REMINGTON "Scoremaster" MODEL 511—Bolt action, box magazine 22 caliber repeater. 7 shot capacity in long rifle, long, or short cartridges.



REMINGTON MODEL 514—22 caliber bolt action single shot rifle. Light weight, rugged construction, triple safety feature. Popular price.




REMINGTON "Matchmaster" MODEL 513T—High grade 22 caliber target rifle at moderate price. Exceptional accuracy with special Remington boring—every desirable feature for the match shooter. Box magazine, 7-shot capacity.




REMINGTON MODEL 521T—Combination hunting and target rifle. 22 caliber box magazine repeater. 7-shot capacity. Micrometer rear sight. Adjustable sling swivel.



PETERS



MAKE



your shooting headquarters